BENYLIN CHILDREN'S APPLE FLAVOUR COUGH SYRUP LABELLING TEXT

Bottle Label

Column One

Benylin CHILDREN'S Apple Flavour Cough Syrup Glycerol 3 MONTHS + Soothes and relieves children's tickly coughs. Sugar and colour free.

Column Two

DOSE: For oral use only. Use the larger 5 ml end of the measuring spoon provided. Children 3 months to 1 year: One 5 ml spoonful. Children 1 to 5 years: Two 5 ml spoonfuls. Not suitable for children under 3 months. Give the dose 3 or 4 times within 24 hours, if needed. Please consult your pharmacist or doctor if symptoms persist. Read and retain carton for full instructions. Keep the bottle tightly closed. Do not store above 25°C. **KEEP ALL MEDICINES OUT OF THE** SIGHT AND REACH OF CHILDREN

Column Three

CONTENTS

Each 5 ml of syrup contains: Glycerol 0.75 ml. Also contains: E965, E211 and E1520. PL 15513/0168 Marketing Authorisation holder: McNeil Products Ltd, High Wycombe, HP12 4EG, UK. Manufacturer: McNeil Iberica S.L.U 28805 Madrid, Spain Trademark **'McNeil Products Ltd'** 125ml e LOT: EXP:

Carton (Label-Leaflet)

Panel One and Three

Benylin

CHILDREN'S Apple Flavour Cough Syrup Glycerol Soothes tickly coughs. Sugar and colour free 3 + MONTHS

Panel Two

Benylin

What this medicine is for

Benylin Children's Apple Flavour Cough Syrup is a soothing syrup which relieves the symptoms of dry, tickly coughs.

Before giving the medicine to your child

This product is suitable for most people, but a few people should not use it. If you are in any doubt you should contact your doctor or pharmacist.

X Do not give your child this medicine...

■ If s/he is under 3 months old.

■ If s/he is allergic to any of the ingredients.

X Talk to your doctor or pharmacist...

■ If your child has an intolerance to some sugars.

! Some of the ingredients can cause problems

■ This product contains maltitol. If you have been told by your doctor that your child has an intolerance to some sugars, contact your doctor before using this medicine. This should be taken into account in patients with diabetes.

■ Maltitol may have a mild laxative effect. Calorific value 2.3 kcal/g maltitol.

■ This medicine contains less than 1 mmol sodium (23 mg) per 5ml, that is to say essentially 'sodium-free'.

This medicine contains 10 mg sodium benzoate (E211) in each 5ml which is equivalent to 2mg/ml.

■ This medicine contains 18.24 mg propylene glycol (E1520) in each 5ml which is equivalent to 3.65 mg/5ml.

How to use this medicine

Check the information below to see how much medicine to give.

 \blacksquare For oral use only.

Do not give more than the stated dose shown below.

i Babies under 3 months

Do not give to babies under 3 months.

i Children from 3 months to 5 years

AGEDOSEChildren 3 months to 1 yearOne 5 ml spoonfulChildren 1 to 5 yearsTwo 5 ml spoonfuls

• Give the dose 3 or 4 times within 24 hours, if needed.

• If symptoms persist for more than 3 days, consult your doctor.

! If anyone has taken too much

If anyone has taken too much of this product, contact a doctor or your nearest Accident and Emergency Department (Casualty), taking this pack with you.

! If you forget to give the medicine

If you forget a dose, give the next dose when needed. Do not give a double dose.

Panel Four

Possible side-effects

This medicine is unlikely to cause side-effects unless your child is allergic to the ingredients.

If your child experiences any side-effects or you are not sure about

anything, talk to your doctor or pharmacist.

Reporting of side-effects

If you get any side-effects, talk to your doctor, pharmacist or nurse. This includes any possible sideeffects not listed on this Carton. You can also report side-effects directly via the Yellow Card Scheme at: <u>www.mhra.gov.uk/yellowcard</u> or search for MHRA Yellow Card in the Google Play or Apple App Store. By reporting side-effects you can help provide more information on the safety of this medicine.

Storing this medicine

Do not give this medicine after the expiry date shown on the bottle. Do not store above 25°C. Keep the bottle tightly closed. Keep out of the sight and reach of children. Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment. Retain carton for full instructions.

Further Information

What's in this medicine?

The active ingredient is: Glycerol 0.75 ml.

Other ingredients are: Purified water, maltitol liquid (E965), citric

acid, hydroxyethylcellulose, sodium citrate and sodium benzoate (E211). The flavouring is apple (containing propylene glycol (E1520)).

What the medicine looks like

Benylin Children's Apple Flavour Cough Syrup is a colourless liquid available in 125 ml bottles.
It contains 0.75 ml of the active ingredient, glycerol, in every 5 ml of medicine.
Marketing Authorisation holder: McNeil Products Ltd,
High Wycombe, HP12 4EG, UK
Manufacturer: McNeil Iberica S.L.U., 28805 Madrid, Spain PL 15513/0168
This carton was revised February 2021.
Benylin is a registered trade mark.
Trademark 'McNeil Products Ltd'
125 ml e

Top flap

Benylin CHILDREN'S Apple Flavour Cough Syrup Glycerol 3 MONTHS +

Bottom flap

Lot: Exp:

Braille: benylin children's apple flavour cough syrup