

100mm	File title:	10730_FL03509B_CR04672_MOM Milk of Magnesia Liquid 200ml_Front label v1
Ξ	Item No.:	FL03509B
=	Last edit:	18th February 2020
90 =	Brand:	Phillips Milk of Magnesia
=	Variant:	Liquid
80 =	Component:	200ml Front Label
Ξ	Market/s:	UK
=	Dimensions:	65.88 x 83mm (Drawing No. 2033_001)
70 _=	Printer:	Labelsco Leicester
Ξ	Substrate:	White Vinyl
Ξ	EAN Code:	N/A
60 =	PharmaCode:	·
Ξ	Replacement	number:
Ξ	Manufacturin	g Site: Medgenix
50 =	No. of colour:	4 + Varnish and Braille
=======================================	Proces	ss Yellow Braille
	PMS R	eflex Blue UV varnish
30 =	PMS 2	10730_FL03509B_CR04672_MOM Milk of Magnesia Liquid 200ml_Front label v1 FL03509B 18th February 2020 Phillips Milk of Magnesia Liquid 200ml Front Label UK 65.88 x 83mm (Drawing No. 2033_001) Labelsco Leicester White Vinyl N/A number: 19 Site: Medgenix 4 + Varnish and Braille Braille Braille UV varnish 91 C LINE Blue
20 =		
Ξ		
Ξ		
10 —		
Ξ		
Ξ		
۰		

Regulatory Approval:	
Sign:	Date:
Name (please print):	
Contact email:	

Marketing Approval:
Sign:
Name (please print):
Contact email:

Page 1 of 1 front label





Regulatory Approval:	
Sign:	Date:
Name (please print):	
Contact email:	

Marketing Approval:
Sign:
Name (please print):
Contact email:

Page 1 of 1 front label

	60	50	40	65.8 mm 30	20	10	matri
Ī							
- =		000	000	000	000	000	
		000	000	000	000	000	
-22		000	000	000	000	000	
		000	000	000	000	000	
-8		000	000	• 0 0	000	000	
		000	000	000	000	000	
10 20 30 40 50 60 70 80		000	000	000	000	000	
		000	000	000	000	000	
- 5 - 5		000	000	000	000	000	
Ī		000	000	• • • •	000	000	
- 60 - 60		000	000	000	000	000	
		000	000	000	000	000	
70		000	000	• 0 0	000	000	
		000	000	• • •	• • •	• • •	
-8							

		BRAILLE I	EXPLANATIONS AND	TRANSLATIONS
	•••		• • •	Phillips
•••	H I	L L I	P 5	Milk of
•	A G	N E S	I A	Magnesia

2. WHAT YOU NEED TO KNOW BEFORE YOU TAKE Do not take Philips' Milk of Magnesia Liquid if you: are allergic to magnesium hydroxide or any of the other ingredients of this medicine (listed in section 6). have acute gastrointestinal conditions (conditions that affect your digestive tract and usually last for a short period of time). Warnings and precautions Talk to your doctor or pharmacist before taking this you have kidney problems You are taking any other medicines (including those you bought yourself). you are pregnant or breastfeeding Children: In small children use of magnesium hydroxide may cause increased amounts of magnesium in the blood (hypermagnesemia) particularly if they have kidney problems or are dehydrated Other medicines and Philips' Milk of Magnesia Liquid: Tell your doctor or pharmacist if you are taking, have recently taken or might take any other medicines. Some medicines may be affected by magnesium hydroxide or they may affect how well magnesium hydroxide will work: 152.4 mm 52.8 mm 48.8 mm 50.8 mm Medicines to treat bacterial and fungal infections of ulcer). Sodium polystyrene sulfonate (used to such as cefpodoxime, itraconazole, tetracyclines, ketoconazole and the quinolone group of reduce high levels of potassium in the blood). Pregnancy and breast-feeding: f you are pregnant or breast-feeding, think you antibacterials. Medicines use for viral infections (e.g. atazanavir, tipranavir, rilpivirine). may be pregnant or are planning to have a baby, ask your doctor or pharmacist for advice before allergies). Bisphosphonates (used to help prevent taking this medicine. or slow down bone thinnings) such as alendro **Driving and using machines:** clodronate risedronate, ibandronic acid. This medicine is unlikely to cause any effects on the ability to drive and use machines. for a wide range of conditions) such as 3. HOW TO TAKE PHILIPS' MILK OF deflazacort, dexamethasone. Digoxin (used for MAGNESIA LIQUID heart problems). Dipyridamole (blood thinner). Always take this medicine exactly as described in Antiepileptics (gabepentin and phenytoin). this leaflet or as your doctor or pharmacist have Levothyroxine (used to treat underactive thyroid).

Mycophenolate (mainly used to stop the body from told you. Check with your doctor or pharmacist if you are not sure. rejecting a transplanted organ). Iron preparations Shake well before each use. You can take this (used to prevent and treat anemia caused by low medicine with milk or water if you want. Drink iron levels). Rosuvastatin (used to treat high cholesterol levels). Antipsychotics (e.g. sulpiride, plenty of fluid during the course of your treatment Relief of indigestion, excess acid and wind, phenothiazines, chlorpromazine). Medicines to heartburn and stomach discomfort:
Adults: Take one to two 5 ml spoonfuls (first or treat malaria such as chloroquine. hydroxychloroquine, proguanil. Penicilla second line in dosing cup). Repeat as necessary (anti-rheumatic), Ibuprofen (pain killer), Salicylates to a maximum of twelve 5 ml spoonfuls (60 ml) in Cimetidine (used to treat and prevent certain types Children aged 3 to 12 years: Give one 5 ml spoonful 152.4 mm 48.8 mm 52.8 mm 50.8 mm If you forget to take this medicine By reporting side effects you can help provide more (first line in dosing cup). Repeat as necessary to a aximum of six 5 ml spoonfuls (30 ml) in 24 hours. Children under 3: To be given only on the advice of forgotten dose. 5. HOW TO STORE PHILLIPS' MILK OF This medicine contains less than 1mmol sodium (23 MAGNESIA LIQUID Do not use for more than 14 days. mg) per 45 ml, that is to say essentially 'sodium-free'. Keep out of the sight and reach of children. Relief of constipation (use as a laxative): 4. POSSIBLE SIDE EFFECTS Do not freeze. Store below 25°C. Use within 6 months of Adults: Take six to nine 5 ml spoonfuls (30-45 ml measured in dosing cup) at bedtime. Repeat opening. Do not throw away any medicines via Like all medicines, this medicine can cause side effects, although not everybody gets then vastewater of household waste. Ask your pharmacist how to throw away medicines you no longer use. These Very rare side effects (may affect up to 1 in Children aged 3 to 12 years: Give one to two 5 ml neasures will help protect the environm 10,000 people): Hypermagnesemia (increased amount of 6. CONTENTS OF THE PACK AND magnesium in your blood). This was seen after OTHER INFORMATION Children under 3: To be given only on the advice of prolonged administration to patients with kidney What this medicine contains: a doctor. The active substance is magnesium hydroxide. Each 5 ml contains Magnesium Hydroxide 415 mg. Unknown side effects (frequency cannot be estimated from the available data): If a laxative dose is needed every day or if there is The other ingredients are sodium hydrogen persistent abdominal pain, consult your doctor. carbonate, oil of peppermint, glycerol, sodium saccharin and purified water. Abdominal pain including colic. If you take more medicines than you should Diarrhoea Do not take more than the recomm Reporting of side effects Marketing Authorisation Holder If you take too much contact your doctor or If you get any side effects, talk to your doctor, Omega Pharma Ltd. pharmacist or nurse. This includes any possible side leffects not listed in this leaflet. You can also report casualty department. You may experience watery Wrafton, Braunton, Devon, EX33 2DL, UK. diarrhoea; taking this medicines for a long period Manufacturer: may cause the increase in blood magnesium levels side effects directly via the Yellow Card Scheme via BCM Limited, Nottingham, NG2 3AA. the website www.mhra.gov.uk/vellowcard or search Medgenix Benelux NV, Vliegveld 21, Wevelgem, 8560, for MHRA Yellow Card in the Google Play or Apple

App Store.

PL 02855/0072

TEXT SCALE: 90% HORIZONTAL TRACKING: -10

BLUE COLOUR SELECTION

IRISH MOM: PMS 2748
PHILLIP'S MOM: PMS REFLEX BLUE

MINIMUM FONT SIZE

7pt on 3mm leading

File title:

OPI No:

Replacen

Last edit:

Brand:

Variant:

₇₀ _= Market/s:

Component

Dimensions

Reel unwind:

Printer:

Substrate:

EAN Code:

PharmaCode

PMS Reflex Blue

PMS 485

BL03509E

1000014363

2nd September 2022

Milk of Magnesia

Liquid 200ml

United Kinadon

83 x 65.88 mm

5012616291791

Gloss white PP, S692N adhesive, glassine backing

Back Label

As artwork

Labelsco

Regulatory Approval:	
Sign: Date:	
Name (please print):	
Contact email:	

11450_BL03509E_CR07663_Milk of Magnesia Liquid_200ml_Label Leaflet_UK_v01

Marketing Approval:
Sign:
Name (please print):
Contact email:

Page 1 of 1