139.7 mm

12 mm 115.7 mm

Day & Night
Nurse
capsules

Please read right through this leaflet before you start using this medicine.

This medicine is available without prescription, but you still need to use Day & Night Nurse Capsules carefully to get the best results from them.

Keep this leaflet, you may need to read it again.
 If you have any further questions, ask your pharmacist.

In this leaflet:

. What Day & Night Nurse Capsules do

- 2. Check before you take Day & Night Nurse Capsules
- 3. How to take Day & Night Nurse Capsules
 4. Possible side effects
- 5. How to store Day & Night Nurse Capsules
- 6. Further information

1. What Day & Night Nurse Capsules do

Day & Night Nurse Capsules are used for the 24 hour relief of the major symptoms of colds, chills and influenza.

The day-time capsules contain three active ingredients. Paracetamol is a painkiller and reduces your temperature when you have a fever. Pseudoephedrine hydrochloride unblocks your nose and sinuses helping you to breathe more easily. Pholoodine is a cough suppressant that helps relieve dry or tickly coughs.

The night-time capsules also contain three active ingredients. Paracetamol is a painkiller and reduces your temperature when you have a fever. Promethazine hydrochloride is an antihistamine which dries up a runny nose and aids restful sleep. Dextromethorphan hydrobromide is a cough suppressant that helps relieve dry or tickly coughs.

2. Check before you take Day & Night Nurse Capsules



Do not take Day & Night Nurse Capsules:

if you have ever had an allergic reaction to paracetamol, pseudoephedrine hydrochloride, promethazine hydrochloride, pholcodine, dextromethorphan hydrobromide or any of the other ingredients (listed in Section 6)

- if you have high blood pressure or heart disease
- if you have kidney problems or hyperexcitability
 if you have a chest infection, worsening asthma or severe respiratory problems
- if you are taking appetite suppressants or stimulant drugs called amphetamines (sometimes used to treat ADHD)

 if you have taken monoamine oxidase inhibitors (MAOIs) prescribed for depression in the last two weeks

• if you are having a **pregnancy test** carried out on your urine.

Do not take with any other paracetamol-containing products. Do not take with any other flu, cold or decongestant product.



Take special care with Day & Night Nurse Capsules

 Do not drink alcohol while using Day & Night Nurse Capsules.

12 mm

- If your symptoms are accompanied by a high temperature, skin rash or persistent headache, see your doctor.
- If you develop fever, associated with generalised reddening of the skin and/or pustules, stop taking Day Nurse and contact your doctor or seek medical attention immediately. See section 4.



Driving and operating machinery

The orange/yellow (day-time) capsules may cause dizziness. If affected do not drive or operate machinery.

The green/white (night-time) capsules may cause drowsiness, dizziness, difficulty concentrating, movement difficulties or blurred vision. This can affect your ability to drive.

- Do not drive while taking this medicine until you know how it affects you.
- It may be an offence to drive when taking this medicine.
- However, you would not be committing an offence if the medicine has been taken to treat a medical or dental problem, and you have taken it according to the information provided with the medicine, and it was not affecting your ability to drive safely.

Talk to your doctor or pharmacist if you are not sure whether it is safe for you to drive while taking this medicine. Details regarding a new driving offence concerning driving after drugs have been taken in the UK may be found here: www.gov.uk/drug-driving-law.



Ask your doctor before taking this medicine:

- if you have been told by your doctor you have an intolerance to some sugars
- if you have an overactive thyroid gland, diabetes, an irregular heartbeat, phaeochromocytoma (tumour of the adrenal gland) or liver problems
- if you have glaucoma, epilepsy, difficulty passing urine, or prostate problems
- if you have asthma, long term cough or a cough which produces a lot of phleam
- if you are due to have an operation
- if you are elderly and suffer from confusion.



If you are taking other medicines

Please talk to your doctor or pharmacist before taking these capsules if you are taking any prescribed medicines; particularly digoxin (for heart problems); metoclopramide or

domperidone (for nausea or vomiting); colestyramine (to lower blood cholesterol); medicines for high blood pressure; medicines which give you blurred vision, a dry mouth or make you drowsy; blood thinning drugs (anticoagulants e.g. warfarin); quinidine or amiodarone (to control your heart rhythm); medicines for anxiety or depression (e.g. selective serotonin reuptake inhibitor (SSRI) or tricyclic antidepressant) or to help you sleep.



139.7 mm

Pregnancy

Pregnancy and breast-feeding

Do not take Day & Night Nurse Capsules if you are pregnant or breast-feeding.

3. How to take Day & Night Nurse Capsules



DAY-TIME Dosage: to be taken with a drink of water every four hours, up to a maximum of 3 doses during the day, if needed.

Adults aged 16 years and over: Two yellow/orange capsules.

NIGHT-TIME Dosage: to be taken with a drink of water at bedtime. Adults aged 16 years and over: Two green/white capsules.



- After taking day-time capsules, wait at least 4 hours before taking
 the pight time capsules
- the night-time capsules.

 Do not take night-time capsules if you have already taken 4 doses of a paracetamol-containing product during the day.
- Only take one dose of night-time capsule per night.
- Do not take for more than 3 days
- Do not take more than the recommended dose
- Do not give to children under 16 years of age.

If you take too many capsules

immediate medical advice should be sought in the event of an overdose, even if you feel well, because of the risk of delayed, serious liver damage. If your symptoms persist, see your doctor.

4. Possible side effects

Like all medicines, Day & Night Nurse Capsules can have side effects, but not everybody gets them: Older people are more prone to these side effects.

The following side effects may occur:

Drowsiness, dizziness, blurred vision, nervousness, hallucinations (particularly in children) have been reported rarely, difficulty concentrating, unsteadiness, clumsiness, headache, dry mouth, nausea, vomiting, diarrhoea, constipation, ringing in the ears, irritability, sleep disturbance, loss of appetite, difficulty passing urine, skin rashes, rapid heart rate and shaking.

Stop taking this medicine and tell your doctor immediately if you experience:

- Allergic reactions which may be severe such as skin rash, itching sometimes with swelling of the mouth or face or shortness of breath
- Skin rash or peeling or mouth ulcers
 Breathing problems. These are more likely if you
- Breathing problems. These are more likely if you have experienced them before when taking other painkillers (such as ibuprofen and aspirin) Unexplained bruising and bleeding
- Confusion, feeling restless, sweating, shaking, shivering, sudden jerks of muscles or increased blood pressure
- Difficulty passing urine
- Stomach ache, sudden weight loss, loss of appetite and yellowing of the eyes and skin
- Restlessness, nervousness, feeling irritable, increased energy and sleep disturbances, which are more likely to affect children
- Sudden severe headache.

 Sudden onset of fever, reddening of the skin, or many small pustules (possible symptoms of Acute Generalized Exanthematous Pustulosis - AGEP).
 This may occur within the first 2 days of treatment with Day Nurse. See section 2.

These effects are rare.

If you do get any side effects, even those not mentioned in this leaflet, tell your doctor or pharmacist

You can also report side effects directly via the Yellow card scheme at www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App store. By reporting side effects you can help provide more information on the safety of this medicine.

5. How to store Day & Night Nurse Capsules

Keep out of the reach and sight of children.
Do not use this medicine after the 'EXP' date shown on the pack.

Do not store above 25°C.

6. Further information

Day-time Capsules

Active ingredients Paracetamol 500 mg, Pseudoephedrine Hydrochloride 30 mg and Pholcodine 5 mg.

Other ingredients Sodium starch glycollate, magnesium stearate (E 572), sodium lauryl sulphate, gelatin and colours quinoline yellow (E 104), allura red (E 129), titanium dioxide (E 171) and printing ink (containing shellac, isopropyl alcohol, iron oxide black (E 172), propylene glycol (E 1520), ammonium hydroxide (E 527) and n-butyl alcohol).

Allura red is an azo dye and may cause allergic reactions.

Night-time Capsules

Active ingredients Paracetamol 500 mg, Promethazine Hydrochloride 10 mg and Dextromethorphan Hydrobromide 7.5 mg. Other ingredients Lactose, dimeticone, colloidal anhydrous silica, gelatin and colours patent blue V (E 131), quinoline yellow (E 104), titanium dioxide (E 171) and printing ink (containing shellac, isopropyl alcohol, iron oxide black (E 172), propylene glycol (E 1520), ammonium hydroxide (E 527) and n-butyl alcohol)

This pack contains 18 yellow/orange day-time capsules and 6 green/white night-time capsules.

The marketing authorisation holder is

GlaxoSmithKline Consumer Healthcare (UK) Trading Limited, Brentford, TW8 9GS, U.K. and all enquiries should be sent to this address.

The manufacturer is Wrafton Laboratories Ltd., Wrafton, Braunton, North Devon, EX33 2DL, U.K.

This leaflet was last revised in July 2018

DAY AND NIGHT NURSE is a registered trademark owned by or licensed to the GSK group of companies.

F7J629SJ5



