

For the relief of insect bites and stings and skin reactions

Do not use if you are allergic to any of the ingredients (propylene glycol may cause skin irritation). **Caution:** Not suitable on animal bites. Not suitable for children under 12 years. Avoid contact with the eyes.

Directions: Apply a small amount of gel to the affected area with a clean fingertip. Repeat up to 3-4 times a day, if required. Rarely skin irritation and sensitisation may occur. If symptoms persist, or any unwanted effects occur, stop using the gel and consult your

doctor or pharmacist.

Reporting of side effects

If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed on this carton. You can also report side effects directly via the Yellow Card Scheme at: www.mhra.gov.uk/yellowcard.

By reporting side effects you can help provide more information on the safety of this medicine.



Savlon®

Anaesthetic: Helps RELIEVE pain

DUAL ACTION GEL

Antiseptic: Helps PREVENT infection

Keep out of the sight and reach of children. Do not store above 30 °C. Do not use after the 'EXP' date shown on the end flap. Do not use if more than 3 months after opening.

Date revised: January 2016

Savlon is a registered trademark owned by or licensed to the GSK group of companies.

PL Holder: GlaxoSmithKline Consumer Healthcare (UK) Trading Limited, Brentford, TW8 9GS, U.K.

Manufacturer: FAMAR S.A., 49th km Athens-Lamia, 19011, Avlona, Greece. PL 44673/0110

Active Ingredients : Lidocaine Hydrochloride 2.0% w/w, Zinc Sulphate 1.0% w/w, Cetrimide 0.5% w/w.

Also contains :

Hydroxyethylmethylcellulose, polysorbate 20, nonoxynol 9, propylene glycol, levomenthol, purified water.



20g e

Antiseptic:
Helps PREVENT infection

Anaesthetic:
Helps RELIEVE pain

Lidocaine hydrochloride
Zinc sulphate
Cetrimide

DUAL
ACTION
GEL

Savlon®

