


Braille: Position Only



benylin  
dry & tickly  
cough syrup



Component No: 16-0383  
Version: 7  
Size: 57 x 57 x 136 mm  
Font size: 7 pt

**Benylin**

**Dry & Tickly  
Cough  
Syrup**

**Glycerol & Sucrose**

Soothes and relieves dry,  
tickly coughs and sore throats.

150 ml e

Lot :  
Exp.:

**DOSE: For oral use only**  
**Adults including the elderly and children over 5 years:**  
Two 5 ml spoonfuls.  
**Children 1-5 years:** One 5 ml spoonful.  
**Do not give to children under 1 year.**  
Repeat the dose 3 or 4 times in 24 hours, if needed.  
Read and retain carton for full instructions.  
Please consult your doctor or pharmacist if symptoms persist.

**KEEP ALL MEDICINES OUT OF THE SIGHT AND REACH OF CHILDREN.**

**CONTENTS**  
Each 10 ml of oral liquid contains:  
Glycerol 1.5 ml, Sucrose 3.4 g.  
Other ingredients include: Liquid glucose, ethanol.  
Carbohydrate content 7.7 g per 10 ml.  
There are no special storage instructions.  
PL 15513/0142 900211C  
Marketing Authorisation holder:  
McNeil Products Ltd, Maidenhead,  
Berkshire, SL6 3UG, UK.

**McNeil**  
PRODUCTS LTD

16-0384



135

Component No: 16-0384

Version: 6

Size: 116 x 51 mm

Braille: Position Only

RELIEVES DRY, TICKLY COUGHS  
SOOTHES THROATS

Glycerol & Sucrose

**Dry & Tickly  
Cough  
Syrup**

**Benylin**

benylin  
dry & tickly  
cough syrup

RELIEVES DRY, TICKLY COUGHS  
SOOTHES THROATS

Component No: 16-0385  
Version: 7  
Size: 63 x 63 x 154 mm  
Font size: 8.25 pt

**Dry & Tickly  
Cough  
Syrup**

**Benylin**

Glycerol & Sucrose

**Benylin**

**Dry & Tickly  
Cough  
Syrup**

Glycerol & Sucrose

300 ml e

9002588

16-0385

What this medicine is for  
Benylin Dry & Tickly Cough Syrup is a soothing cough syrup which relieves irritating, dry, dry coughs and sore throats.

Before taking this medicine  
This product is suitable for most people, but a few people should not use it. If you are in any doubt you should contact your doctor or pharmacist.

Do not use this medicine  

- If you are allergic to any of the ingredients
- Do not give this medicine to your child if he is under 1 year old.

Ask your doctor or pharmacist if  

- If you have an intolerance to some sugars.
- If this applies to you now or in the past, talk to a doctor or pharmacist.

Some of the ingredients can cause problems  

- This product contains 1.85 g glucose and 1.707 g sucrose in each 5 ml, which may be harmful to the teeth if you have been told by your doctor that you have an intolerance to some sugars. Contact your doctor before using this medicine. This should be taken into account in patients with diabetes.
- Carbohydrate content of this medicine is 3.85 g per 5 ml.
- This product contains small amounts of ethanol (alcohol), less than 100 mg per 5 ml dose.
- You can take this medicine if you are pregnant or breastfeeding.

How to use this medicine  
Check the information below to see how much medicine to take  

- For oral use only
- Do not take more than the stated dose below.
- Check the cap seal is not broken before first use. If it is, do not use this medicine.

Children under 1 year  
Do not give to children under 1 year old.

Adults and Children 1 year and over

AGE	DOSE
Children 1 – 5 years	One 5 ml spoonful
Adults (including the elderly) and Children over 5 years	Two 5 ml spoonfuls

- Give the dose 3 or 4 times within 24 hours, if needed.
- If symptoms persist, contact your pharmacist or doctor.

If anyone has taken too much  
If anyone has taken too much of this product, contact a doctor or your nearest Accident & Emergency department (A&E), taking this pack with you.

If you forget to take a dose  
If you forget a dose, take the next dose when needed. Do not take a double dose.

Possible side-effects  
The medicine is unlikely to cause side-effects unless you are allergic to the ingredients. If you experience any side-effects or you are not sure about anything, talk to your doctor or pharmacist.

Reporting of side-effects  
If you get any side-effects, talk to your doctor, pharmacist or nurse. This includes any possible side-effects not listed on pack. You can also report side-effects directly via the Yellow Card Scheme at: [www.mhra.gov.uk/yellowcard](http://www.mhra.gov.uk/yellowcard). By reporting side-effects you can help provide more information on the safety of this medicine.

Storing this medicine  
There are no special storage instructions for this medicine. Keep out of the sight and reach of children. Retain carton for full instructions. Do not use your medicine after the date shown as the expiry date on the packaging. Keep the bottle tightly closed. Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment. Retain carton for full instructions.

Further information  
**What's in this medicine**  
The active ingredients are: Glycerol 0.75 ml and Sucrose 1.707 g  
Other ingredients are: citric acid monohydrate, sodium benzoate (E211), cough syrup S13221 flavor (contains aniseed, leavone, propylene glycol and ethanol), black breads, liquid glucose and purified water.

**What the medicine looks like**  
Benylin Dry & Tickly Cough Syrup is a clear, dark brown liquid available in 150 ml and 300 ml bottles. It contains 0.75 ml of glycerol and 1.707 g sucrose, the active ingredients, in every 5 ml of medicine.

The Marketing Authorisation holder is:  
McNeil Products Ltd, Maidenhead, Berkshire, SL6 3UG, UK.  
The manufacturer is:  
McNeil Iberica S.L.U., 28805 Madrid, Spain  
PL 153130142  
This carton was revised in August 2016.  
Benylin is a registered trade mark.  
Design is an applied trade mark.

McNeil

3 457466 1366258

Lot:  
Exp:

Component No: 30399  
Version: 2  
Size: 55 x 110 mm

30399\_900261b

**Benylin**  
**Dry & Tickly Cough Syrup**  
Glycerol & Sucrose  
Soothes and relieves dry, tickly coughs and sore throats.  
300 ml e

**DOSE: For oral use only**  
**Adults including the elderly and children over 5 years:** Two 5 ml spoonfuls.  
**Children 1-5 years:** One 5 ml spoonful.  
**Do not give to children under 1 year.**  
Repeat the dose 3 or 4 times in 24 hours, if needed.  
Read and retain carton for full instructions. Please consult your doctor or pharmacist if symptoms persist.  
**KEEP ALL MEDICINES OUT OF THE SIGHT AND REACH OF CHILDREN.**

**CONTENTS**  
Each 10 ml of oral liquid contains: Glycerol 1.5 ml, Sucrose 3.4 g.  
Other ingredients include: Liquid glucose, ethanol.  
Carbohydrate content 7.7 g per 10 ml.  
There are no special storage instructions.  
PL 15513/0142 900261B  
Marketing Authorisation holder: McNeil Products Ltd, Maidenhead, Berkshire, SL6 3UG, UK.  
**McNeil** 16-0386

LOT  
EXP

6mm 981 6mm

12mm 55 mm

30399\_900261b

21 mm 34 mm 55 mm

Keyline Varnish