


197mm **FOP**

Check that the cap seal is unbroken before first using this product.
 Manufacturer and Product Licence holder in the UK:
 Reckitt Benckiser Healthcare (UK) Ltd., Hull, HU8 7DS.
 PL 00063/0108



Do not refrigerate.
 Keep out of the sight and reach of children.
 Do not use this product after the expiry date (EXP: month/year shown).
What is this product?
 Each 10 ml contains sodium alginate 1000 mg and potassium hydrogen carbonate 200 mg.



GAVISCON
ADVANCE
 Aniseed Suspension
 Sodium alginate
 Potassium hydrogen carbonate

- Acid reflux symptoms
- Heartburn & Indigestion

Extra Strength Formula

Read the package leaflet before use.

Dosage: For oral use. Adults, including the elderly and children 12 years and over: Take 5-10 ml (one to two 5 ml spoonfuls) after meals and at bedtime. Shake well before use. Children under 12 years: Should only be taken on medical advice. If symptoms persist after 7 days consult your doctor. Contains sodium, potassium, calcium, methyl (E218) and propyl (E216) para-hydroxybenzoates.

High in sodium - see leaflet for further information

Peel here. Do not remove.

e600ml



80.5mm 60mm 56.5mm 30mm

Gaviscon Advance Aniseed Suspension.
 Sodium alginate and potassium hydrogen carbonate.
Read all of this leaflet carefully before you start using this medicine because it contains important information for you.

- Keep this leaflet. You may need to read it again.
- Ask your pharmacist if you need more information or advice.
- If you get any side effects, talk to your pharmacist. This includes any possible side effects not listed in this leaflet. See section 4.
- You must talk to your doctor if you do not feel better or if you feel worse after 7 days

In this leaflet:

1. What is this medicine and what is it used for?
2. What you need to know before you take this medicine.
3. How to take this medicine.
4. Possible side effects.
5. How to store this medicine.
6. Contents of the pack and other information.

1. What is this medicine and what is it used for?
 Gaviscon Advance Aniseed Suspension belongs to a group of medicines called 'reflux suppressants'. This

product forms a protective layer that floats on top of the stomach contents. This layer prevents reflux and keeps the stomach contents away from the lining of the food pipe to relieve the symptoms of heartburn and acid indigestion. It can also be used to relieve the symptoms of conditions such as hiatus hernia (protrusion of muscle through a muscle wall), reflux oesophagitis (inflamed food pipe) and symptoms of hoarseness and other voice disorders, sore throat and cough associated with reflux. It can also be taken to control heartburn symptoms which may occur when taking, or following withdrawal of, medication to reduce stomach acid such as Proton Pump Inhibitors (PPI's) or H2 Antagonists.

2. What you need to know before taking this medicine.

Do not take Gaviscon Advance Aniseed Suspension:
 - If you know you are allergic (hypersensitive) to any of the ingredients of in this product (listed in section 6 for a full list of ingredients).

Warnings and precautions:
 This medicine contains sodium (5.0 mmol per 10 ml), potassium (2.0 mmol per 10 ml) and calcium.
 - If you have been advised to follow a diet restricted in


any of these please consult your doctor before taking this product.

-The maximum recommended daily dose of this medicinal product contains 424 mg sodium (found in table salt). This is equivalent to 21 % of the adult recommended maximum daily intake for sodium.
 -Please also talk to your doctor or pharmacist if you need four or more daily doses for a prolonged period, especially if you have been advised to follow a low salt diet or if you suffer or have suffered from significant kidney or heart disease, as certain salts could interfere with these diseases.

Taking other medicines:

Please tell your doctor or pharmacist if you are taking or have recently taken any other medicines, including medicines obtained without prescription
 Wait at least 2 hours between taking this medicine and other medicines such as tetracyclines, fluoroquinolones (types of antibiotics), iron salts, thyroid hormones, chloroquine (a medication used to prevent malaria), bisphosphonates (a medication used to treat osteoporosis) and estramustine (a medication to treat prostate cancer).

3114652



Pregnancy and breast-feeding:

You can take this product if you are pregnant or breast-feeding. As with all medicines, the treatment duration should be limited as much as possible.

Important information about some of the ingredients of Gaviscon Advance Aniseed Suspension:

This product contains methyl (E218) and propyl (E216) para-hydroxybenzoates which may cause allergic reactions (possibly delayed).

Driving and using machines:

This medicine has no influence on the ability to drive and use machines.

3. How to take this medicine

Check that the cap seal is unbroken before first using this product. Shake well before use. **Adults including the elderly and children 12 years and over:** 5-10 ml (one to two 5ml spoonfuls) after meals and at bedtime. Children under 12 years: Should only be taken on medical advice. If you forget a dose it is not necessary to double the dose next time, just carry on taking as before. If you take too much of this product you may feel bloated and experience some abdominal discomfort. It is unlikely to cause you any harm, but

please consult your doctor or pharmacist if this doesn't go away.

If symptoms persist after 7 days consult your doctor.

4. Possible side effects

Very rarely (less than 1 in 10,000 patients) there is a chance of an allergic reaction to the ingredients. Symptoms of this may include skin rash, itching, difficulty breathing, dizziness or swelling of the face, lips, tongue or throat. **If you experience these or any other side effects stop taking the product and consult your doctor immediately.** If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in this leaflet. You can also report side effects directly via the Yellow Card Scheme at: <http://www.mhra.gov.uk/yellowcard> or search for MHRA Yellow Card in the Google Play or Apple App Store. By reporting side effects, you can help provide more information on the safety of this medicine.

5. How to store this medicine

Do not use this product after the expiry date (EXP: month/year) shown. Keep out of the sight and reach of children.

Do not refrigerate.


Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

6. Contents of the pack and other information

Each 10 ml of oral suspension contains 1000 mg sodium alginate and 200 mg potassium hydrogen carbonate as the active ingredients. The other ingredients are calcium carbonate, carbomer, methyl (E218) and propyl (E216) parahydroxybenzoates, sodium saccharin, sodium hydroxide, aniseed flavour derived from fennel and purified water. This product does not contain sugar or gluten. This medicine is available in bottles of 80ml, 100ml, 125ml, 140ml, 150ml, 180ml, 200ml, 250ml, 300ml and 600ml. Not all pack sizes may be marketed.

Manufacturer and Product Licence Holder:
 Reckitt Benckiser Healthcare (UK) Limited,
 Hull, HU8 7DS.
 Date of preparation: September 2019.
 Gaviscon Advance and the sword and circle are trademarks.

3114652



TBR2743-D8340705 - English



Gaviscon Advance
Aniseed Suspension

CUSTOMER INFO:
 Minimum Point Size = 7.00pt

RB Artwork and Print Specification

Trident Reference No:	RB390806
ZEN Ref:	TR1682940
Action:	E
Brand:	Gaviscon
Category:	Adult
Segment Group:	Advance Liquid
Segment:	Aniseed
Pack Size:	600ml
Market/Country:	UK
Date:	11/02/20
RBH Contact:	James Hart

Artwork Type: BW Commercial

Component Code (2D if applicable):	3114652
Parent Technical Packaging	
Specification:	D8340705
Finished Goods Code:	3102591
Supply Point:	RB Hull
3rd Party Code	N/A
Pharmacode No/NE:	N/A
Edgemark Position:	N/A
CAD Cam Ref:	G-Lbl-D8340705-197x75mmPPD1739
Printer:	Multi Packaging Solutions (Bourne, UK)
Substrate:	PP-White SA

Technical & Non Printing Items	
<input checked="" type="checkbox"/> Cutter	<input checked="" type="checkbox"/> Cutter 2 (if applicable)
<input checked="" type="checkbox"/> Guides	<input checked="" type="checkbox"/> Guides 2 (if applicable)

Colours (Label / Peel Read)			
PANTONE Reflex Blue C	PANTONE 320 C	PANTONE 2375 C	PANTONE 185 C
FLX	FLX	FLX	FLX
Process Yellow	Braille	Release Varnish	Release Varnish
FLX	FLX	FLX	FLX

BARCODE INFO

Barcode Type:	EAN 13
Barcode Number:	5011417576229
Magnification:	100%
Truncated By:	0.0 mm
Full Height:	26.1 mm
Bar Height (Smallest Bar):	22.9 mm
BWR:	30 microns
Encoded Data:	N/A



Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.


STUDIO USE ONLY Danielle Lowery **v2.0**
 Sm*Art check results: G=2; O=0; R=1; - DL - 11/02/20 13:19:43



197mm **FOP**

75 mm

Check that the cap seal is unbroken before first using this product.
 Manufacturer and Product Licence holder in the UK:
 Reckitt Benckiser Healthcare (UK) Ltd., Hull, HU8 7DS
 PL 00063/0108



Do not refrigerate.
 Keep out of the sight and reach of children.
 Do not use this product after the expiry date (EXP: month/year shown).

What is this product?
 Each 10 ml contains sodium alginate 1000 mg and potassium hydrogen carbonate 200 mg.



- Acid reflux symptoms
- Heartburn & Indigestion

GAVISCON
ADVANCE
 Aniseed Suspension

Sodium alginate
 Potassium hydrogen carbonate

Extra Strength Formula

Read the package leaflet before use.

Dosage: For oral use. Adults, including the elderly and children 12 years and over: Take 5-10 ml (one to two 5 ml spoonfuls) after meals and at bedtime. Shake well before use. Children under 12 years: Should only be taken on medical advice. If symptoms persist after 7 days consult your doctor. Contains sodium, potassium, calcium, methyl (E218) and propyl (E216) para-hydroxybenzoates.

High in sodium - see leaflet for further information



Peel here. Do not remove.

e600ml

80.5mm

60mm

56.5mm

30 mm

Gaviscon Advance Aniseed Suspension.

Sodium alginate and potassium hydrogen carbonate.
Read all of this leaflet carefully before you start using this medicine because it contains important information for you.

- Keep this leaflet. You may need to read it again.
- Ask your pharmacist if you need more information or advice.
- If you get any side effects, talk to your pharmacist. This includes any possible side effects not listed in this leaflet. See section 4.
- You must talk to your doctor if you do not feel better or if you feel worse after 7 days

In this leaflet:

1. What is this medicine and what is it used for?
2. What you need to know before you take this medicine.
3. How to take this medicine.
4. Possible side effects.
5. How to store this medicine.
6. Contents of the pack and other information.

1. What is this medicine and what is it used for?
 Gaviscon Advance Aniseed Suspension belongs to a group of medicines called 'reflux suppressants'. This

product forms a protective layer that floats on top of the stomach contents. This layer prevents reflux and keeps the stomach contents away from the lining of the food pipe to relieve the symptoms of heartburn and acid indigestion. It can also be used to relieve the symptoms of conditions such as hiatus hernia (protrusion of muscle through a muscle wall), reflux oesophagitis (inflamed food pipe) and symptoms of hoarseness and other voice disorders, sore throat and cough associated with reflux. It can also be taken to control heartburn symptoms which may occur when taking, or following withdrawal of, medication to reduce stomach acid such as Proton Pump Inhibitors (PPI's) or H2 Antagonists.

2. What you need to know before taking this medicine.

Do not take Gaviscon Advance Aniseed Suspension:
 - If you know you are allergic (hypersensitive) to any of the ingredients of in this product (listed in section 6 for a full list of ingredients).

Warnings and precautions:
 This medicine contains sodium (5.0 mmol per 10 ml), potassium (2.0 mmol per 10 ml) and calcium.
 - If you have been advised to follow a diet restricted in

any of these please consult your doctor before taking this product.

-The maximum recommended daily dose of this medicinal product contains 424 mg sodium (found in table salt). This is equivalent to 21 % of the adult recommended maximum daily intake for sodium.
 -Please also talk to your doctor or pharmacist if you need four or more daily doses for a prolonged period, especially if you have been advised to follow a low salt diet or if you suffer or have suffered from significant kidney or heart disease, as certain salts could interfere with these diseases.

Taking other medicines:

Please tell your doctor or pharmacist if you are taking or have recently taken any other medicines, including medicines obtained without prescription. Wait at least 2 hours between taking this medicine and other medicines such as tetracyclines, fluoroquinolones (types of antibiotics), iron salts, thyroid hormones, chloroquine (a medication used to prevent malaria), bisphosphonates (a medication used to treat osteoporosis) and estramustine (a medication to treat prostate cancer).

3114652

Pregnancy and breast-feeding:

You can take this product if you are pregnant or breast-feeding. As with all medicines, the treatment duration should be limited as much as possible.

Important information about some of the ingredients of Gaviscon Advance Aniseed Suspension:

This product contains methyl (E218) and propyl (E216) para-hydroxybenzoates which may cause allergic reactions (possibly delayed).

Driving and using machines:

This medicine has no influence on the ability to drive and use machines.

3. How to take this medicine

Check that the cap seal is unbroken before first using this product. Shake well before use. **Adults including the elderly and children 12 years and over:** 5-10 ml (one to two 5ml spoonfuls) after meals and at bedtime. Children under 12 years: Should only be taken on medical advice. If you forget a dose it is not necessary to double the dose next time, just carry on taking as before. If you take too much of this product you may feel bloated and experience some abdominal discomfort. It is unlikely to cause you any harm, but

please consult your doctor or pharmacist if this doesn't go away.
If symptoms persist after 7 days consult your doctor.

4. Possible side effects

Very rarely (less than 1 in 10,000 patients) there is a chance of an allergic reaction to the ingredients. Symptoms of this may include skin rash, itching, difficulty breathing, dizziness or swelling of the face, lips, tongue or throat. **If you experience these or any other side effects stop taking the product and consult your doctor immediately.** If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in this leaflet. You can also report side effects directly via the Yellow Card Scheme at: <http://www.mhra.gov.uk/yellowcard> or search for MHRA Yellow Card in the Google Play or Apple App Store. By reporting side effects, you can help provide more information on the safety of this medicine.

5. How to store this medicine

Do not use this product after the expiry date (EXP: month/year) shown. Keep out of the sight and reach of children.

Do not refrigerate.


Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

6. Contents of the pack and other information

Each 10 ml of oral suspension contains 1000 mg sodium alginate and 200 mg potassium hydrogen carbonate as the active ingredients. The other ingredients are calcium carbonate, carboxymethyl (E218) and propyl (E216) parahydroxybenzoates, sodium saccharin, sodium hydroxide, aniseed flavour derived from fennel and purified water. This product does not contain sugar or gluten. This medicine is available in bottles of 80ml, 100ml, 125ml, 140ml, 150ml, 180ml, 200ml, 250ml, 300ml and 600ml. Not all pack sizes may be marketed.

Manufacturer and Product Licence Holder:
 Reckitt Benckiser Healthcare (UK) Limited,
 Hull, HU8 7DS.
 Date of preparation: September 2019.
 Gaviscon Advance and the sword and circle are trademarks.

3114652



TBR2743-D8340705 - English



Gaviscon Advance
Aniseed Suspension

CUSTOMER INFO:
 Minimum Point Size = 7.00pt

RB Artwork and Print Specification

Trident Reference No: RB390806
 ZEN Ref: **TR1682940**
 Action: **E**
 Brand: Gaviscon
 Category: Adult
 Segment Group: Advance Liquid
 Segment: Aniseed
 Pack Size: 600ml
 Market/Country: UK
 Date: 11/02/20

RBH Contact: James Hart

Artwork Type: BW Commercial

Component Code (2D if applicable): **3114652**
 Parent Technical Packaging
 Specification: D8340705
 Finished Goods Code: **3102591**
 Supply Point: RB Hull
 3rd Party Code: N/A
 Pharmacode No/NE: N/A
 Edgemark Position: N/A

CAD Cam Ref: G-Lbl-D8340705-197x75mmPPTD1739
 Printer: Multi Packaging Solutions (Bourne, UK)
 Substrate: PP-White SA

Technical & Non Printing Items

- Cutter
- Guides
- Cutter 2 (if applicable)
- Guides 2 (if applicable)

Colours (Label / Peel Read)

PANTONE Reflex Blue C	PANTONE 320 C	PANTONE 2375 C	PANTONE 185 C
FLX	FLX	FLX	FLX
Process Yellow	Braille	Release Varnish	Release Varnish
FLX	FLX	FLX	FLX

BARCODE INFO

Barcode Type: EAN 13
 Barcode Number: 5011417576229
 Magnification: 100%
 Truncated By: 0.0 mm
 Full Height: 26.1 mm
 Bar Height (Smallest Bar): 22.9 mm
 BWR: 30 microns
 Encoded Data: N/A



HEALTH > HYGIENE > HOME



Connaught House, Connaught Road,
 Kingswood Business Park, Hull, HU7 3AP, England.
 T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.

STUDIO USE ONLY Danielle Lowery v2.0
 Sm*Art check results: G=2; O=0; R=1; - DL - 11/02/20 13:19:43

250
240
230
220
210
200
190
180
170
160
150
140
130
120
110
100
90
80
70
60
50
40
30
20
10
mm

197mm

75 mm



2mm
2mm
1.5mm
2mm
1.5mm
2mm
1.5mm
2mm
1.5mm
2mm
1.5mm
2mm
2mm
7.5mm

27.5mm

80.5mm

60mm

56.5mm

30 mm

2mm
10mm
2mm
3mm
3.5mm

CUSTOMER INFO:
Minimum Point Size = 7.00pt

RB Artwork and Print Specification

Trident Reference No: RB390806
ZEN Ref: **TR1682940**
Action: **E**
Brand: Gaviscon
Category: Adult
Segment Group: Advance Liquid
Segment: Aniseed
Pack Size: 600ml
Market/Country: UK
Date: 11/02/20

RBH Contact: James Hart

Artwork Type: **BW Commercial**

Component Code (2D if applicable): **3114652**
Parent Technical Packaging
Specification: D8340705
Finished Goods Code: **3102591**
Supply Point: RB Hull
3rd Party Code: N/A
Pharmacode No/NE: N/A
Edgemark Position: N/A

CAD Cam Ref: G-Lbl-D8340705-197x75mmPPTD1739
Printer: Multi Packaging Solutions (Bourne, UK)
Substrate: PP-White SA

Technical & Non Printing Items

Cutter Cutter 2 (if applicable)
 Guides Guides 2 (if applicable)

Colours (Label _Peel Read)

PANTONE 330 C	PANTONE 2375 C	PANTONE 185 C
FLX	FLX	FLX
Process Yellow	Braille	Release Varnish
FLX	FLX	FLX

BARCODE INFO

Barcode Type: EAN 13
Barcode Number: 5011417576229
Magnification: 100%
Truncated By: 0.0 mm
Full Height: 26.1 mm
Bar Height (Smallest Bar): 22.9 mm
BWR: 30 microns
Encoded Data: N/A



HEALTH > HYGIENE > HOME




Connaught House, Connaught Road,
Kingswood Business Park, Hull, HU7 3AP, England.
T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.

STUDIO USE ONLY Danielle Lowery v2.0
Sm*Art check results: G=2; O=0; R=1; - DL - 11/02/20 13:19:43




PPTDD1022/3

TBR2743-D8340705 - English



Gaviscon Advance Aniseed Suspension



197mm

75 mm

2mm
2mm
1.5mm
2mm
1.5mm
2mm
1.5mm
2mm
1.5mm
2mm
2mm
7.5mm

80.5mm

60mm

56.5mm

30 mm

2mm
10mm
2mm
6mm
13.5mm
3mm
6mm
3.5mm

CUSTOMER INFO:
Minimum Point Size = 7.00pt

RB Artwork and Print Specification

Trident Reference No: RB390806
ZEN Ref: **TR1682940**
Action: **E**
Brand: Gaviscon
Category: Adult
Segment Group: Advance Liquid
Segment: Aniseed
Pack Size: 600ml
Market/Country: UK
Date: 11/02/20

RBH Contact: James Hart

Artwork Type: BW Commercial

Component Code (2D if applicable): **3114652**
Parent Technical Packaging
Specification: D8340705
Finished Goods Code: **3102591**
Supply Point: RB Hull
3rd Party Code: N/A
Pharmacode No/NE: N/A
Edgemark Position: N/A

CAD Cam Ref: G-Lbl-D8340705-197x75mmPPTD1739
Printer: Multi Packaging Solutions (Bourne, UK)
Substrate: PP-White SA

Technical & Non Printing Items

Cutter Cutter 2 (if applicable)
 Guides Guides 2 (if applicable)

Colours (Label _Peel Read)

1 FLX	2 FLX	3 FLX	4 FLX
5 FLX	6 FLX	7 FLX	8 FLX

BARCODE INFO

Barcode Type: EAN 13
Barcode Number: 5011417576229
Magnification: 100%
Truncated By: 0.0 mm
Full Height: 26.1 mm
Bar Height (Smallest Bar): 22.9 mm
BWR: 30 microns
Encoded Data: N/A



HEALTH > HYGIENE > HOME




Connaught House, Connaught Road,
Kingswood Business Park, Hull, HU7 3AP, England.
T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.


STUDIO USE ONLY Danielle Lowery v2.0
Sm*Art check results: G=2; O=0; R=1; -DL - 11/02/20 13:19:43



TBR2743-D8340705 - English




Gaviscon Advance
Aniseed Suspension



Production line		
Manufacturing site		
Pack Tech approver	1 st 2 nd	
Date		
Check Criteria	Details Et Comments	Checks
Approvals		1 st 2 nd
Market Approval		
Regulatory Approval		
3rd Party Approval		
Technical Drawing/ Cutter ref no. Et PPI component code		
PPI component code number/s correct on artwork?		
PPI component code number/s in correct position on artwork?		
Correct drawing for the production line?		
Profile shape Et dimensions		
Graphics layout/orientation		
Unwind diagram (PPTD1022/1-20)		
Printable areas/bleed		
Varnish free areas		
Variable coding position Et dimensions		
Varnish and print requirements		
Pre-printed headers (alignment and suitability)		
Embossing, Braille Et Foil Blocking		
Separations on artwork		
Alignment within cutter		
Braille structure		
Verification Code Type; Pharma Code / 2D / OCV		
Bar sequence and/or number correct on artwork		
Bar sequence and/or number in correct position on artwork?		
Size (height, width, spacing, font)		
Direction of read		
Light margins and print free areas		
Colour		
Repeat distance (reeled material)		
Cross check related docs ie BOM		
Bar code Type; EAN, ITF, Code39, etc		
Magnification / width and height		
Colour (e.g. black print on white background)		
Light margins Et indicators		
Bearer bars Et H gauges (if required)		
Symbol grade (Pass = A,B,C; Action = D,F)		
Bar code number (human readable)		
Bar code number (encoded Et hidden data)		
Confirm bar code number from source		
Cross check related docs (JDE/PID)		
Photo-electric cell mark / edge marks		
Present Et per Tech drawing?		
Correct pitch?		
Additional markings		
e-mark, recycle logo etc		
Legend box (RB specification)		
Correct component code		
Correct D spec / has cutter changed?		
Correct printer / has printer changed?		
Correct Substrate		
A/W is set up appropriately for this substrate		
Edge mark details		
Pharmacode details		
Colours Et print process		
Varnish		
Barcode information		
General details are correct		
Pass / Fail comments and Signature		
By approving the artwork referenced within this form I authorise it for release to the print supplier		
Additional Comments		

Version 004 07/01/2020



RB Artwork and Print Specification

Trident Reference No: RB390806
 ZEN Ref: **TR1682940**
 Action: **E**
 Brand: Gaviscon
 Category: Adult
 Segment Group: Advance Liquid
 Segment: Aniseed
 Pack Size: 600ml
 Market/Country: UK
 Date: 11/02/20

RBH Contact: James Hart

Artwork Type: **BW Commercial**

Component Code (2D if applicable): **3114652**
 Parent Technical Packaging: D8340705
 Specification: D8340705
 Finished Goods Code: **3102591**
 Supply Point: RB Hull
 3rd Party Code: N/A
 Pharmacode No/NE: N/A
 Edgemark Position: N/A

CAD Cam Ref: G-Lbl-D8340705-197x75mmPPTD1739
 Printer: Multi Packaging Solutions (Bourne, UK)
 Substrate: PP-White SA

Technical & Non Printing Items
 Cutter (blue square) | Cutter 2 (if applicable) (purple square)
 Guides (dark blue square) | Guides 2 (if applicable) (green square)

Colours (Label _Peel Read)

PANTONE 185 C FLX	PANTONE 320 C FLX	PANTONE 2375 C FLX	PANTONE 185 C FLX
Process Yellow FLX	Braille FLX	Release Varnish FLX	Release Varnish FLX

BARCODE INFO

Barcode Type: EAN 13
 Barcode Number: 5011417576229
 Magnification: 100%
 Truncated By: 0.0 mm
 Full Height: 26.1 mm
 Bar Height (Smallest Bar): 22.9 mm
 BWR: 30 microns
 Encoded Data: N/A



Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.

STUDIO USE ONLY Danielle Lowery v2.0
 Sm*Art check results: G=2; O=0; R=1; -DL - 11/02/20 13:19:43

