


LEAFLET FACE

92.0 mm	<p>4- Possible side effects If your baby experiences any side effect after using this product, stop using it and seek medical advice. Reporting of side effects If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in this leaflet. You can also report side effects directly via the Yellow Card Scheme at: www.mhra.gov.uk/yellowcard. By reporting side effects, you can help provide more information on the safety of this medicine. NZ: You can also report side effects directly via https://nzphvc.otago.ac.nz/report/</p> <p>5- How to store this medicine KEEP OUT OF THE SIGHT AND REACH OF CHILDREN. Store below 25°C. Use within 14 days after first opening. Use before the expiry date shown on the front of the bottle.</p>	<p>6- Further information Woodward's Gripe Water - Alcohol Free & Sugar Free is an oral solution containing terpeneless dill seed oil 2.3mg/5mL, and sodium hydrogen carbonate 52.5mg/5mL as active ingredients and also maltitol liquid, glycerol, sodium salts of esters of p-hydroxybenzoic acid (E215, E217 and E219), disodium edetate, propylene glycol and purified water. MA Holder: Reckitt Benckiser Healthcare (UK) Ltd, 103-105 Bath Road Slough SL1 3UH Manufacturer : FAMAR A.V.E, 49th National Road Athens-Lamia, Avlona Attiki, 19011 Greece Or Reckitt Benckiser Healthcare (UK) Limited, Dansom Lane, Hull, HU8 7DS, United Kingdom Last leaflet update 02/2021</p>	<p>Read the leaflet carefully before use and for full list of ingredients. Store below 25°C. Use within 14 days of first opening the bottle.</p> <p>MA Holder: Reckitt Benckiser Healthcare (UK) Ltd, 103-105 Bath Road Slough SL1 3UH</p> <p>PL 00063/0698</p> <p>Reckitt Benckiser NZ, Auckland Toll Free Contact Number: 0800 40 30 30</p>	<p style="text-align: center;">WOODWARD'S® SINCE 1852 GRIPPE WATER ALCOHOL FREE & SUGAR FREE Oral Solution Terpeneless dill seed oil 2.3mg/5mL Sodium hydrogen carbonate 52.5mg/5mL Also contains sodium, maltitol, E215, E217 and E219. For the symptomatic relief of distress associated with wind in infants from one month to one year old. KEEP OUT OF THE SIGHT AND REACH OF CHILDREN 150mLe LOT peel here</p>
	Page 8,9	Page 10,11	Page 12	Page 1
60.00 mm	60.00 mm	30.00 mm	33.00 mm	

Pharmacode Reads This Way
First Bar
Last Bar

LEAFLET REVERSE

92.0 mm	<p>Patient Information Woodward's Gripe Water - Alcohol Free & Sugar Free Terpeneless dill seed oil 2.3mg/5mL, Sodium hydrogen carbonate 52.5mg/5mL</p> <p>1- What is this medicine used for This medicine is an antacid and antifatulent product. It is used to relieve griping pain or waves of severe abdominal pain (infant colic) in babies, due to trapped air in the tummy. It can be given to babies from 1 to 12 months.</p> <p>2- Before you use this medicine Do not give to a baby: - who is allergic to any of the ingredients in this product (see section 6) - who has kidney problems. Important information about some of the ingredients This product is sugar free but contains maltitol, which may affect blood sugar levels. Therefore if your baby has an inherited intolerance to some sugars, check</p>	<p>with your doctor before giving this medicine. May have a mild laxative effect. Calorific value 2.3 kcal/g maltitol. This medicine contains hydroxybenzoate derivatives (E215, E217 and E219) which may cause allergic reactions (possibly delayed). This medicine contains 15.73 mg sodium (main component of cooking/table salt) in each 5ml. This is equivalent to 0.8 % of the recommended maximum daily dietary intake of sodium for an adult. This medicine contains 200 mg propylene glycol in each 5 ml. If your child is less than 5 years old, talk to your doctor or pharmacist before giving them this medicine, in particular if they use other medicines that contain propylene glycol or alcohol. If you suffer from a liver or kidney disease, do not take this medicine unless recommended by your doctor. Your doctor may carry out extra checks while you are taking this medicine.</p>	<p>Maximum Daily Dose: Sodium: 188.76 mg (8.21 mmol) Propylene glycol for child aged 6 – 12 months**: 2400 mg Propylene glycol for child aged 1 – 6 months***: 1200 mg Maltitol liquid: 11.4 g ** (343 mg/kg/day based on weight of 7 kg for a 6 month old)*** (300 mg/kg/day based on weight of 4 kg for a 1 month old)</p> <p>3- How to use this medicine This medicine is only for babies from 1 to 12 months old. 1-6 months old: one 5mL spoonful 6-12 months old: two 5mL spoonfuls Give during or after a feed. Do not use more than 6 times in 24 hours. Allow two hours before administering other medicinal products, where possible. If symptoms persist, contact your doctor. If you give your baby too much of this medicine, speak to a doctor or pharmacist at once.</p>
	Page 2,3	Page 4,5	Page 6,7
63.00 mm	60.00 mm	60.00 mm	



Pharmacode Reads This Way
← First Bar Last Bar

205,3mm

WOODWARD'S
SINCE 1851

WOODWARD'S
SINCE 1851

WOODWARD'S
SINCE 1851

WOODWARD'S
SINCE 1851

Varnish Free Area

WOODWARD'S
SINCE 1851

GRIPE WATER
ALCOHOL FREE & SUGAR FREE

GRIPE WATER
ALCOHOL FREE & SUGAR FREE

WOODWARD'S
SINCE 1851

WOODWARD'S
SINCE 1851

WOODWARD'S
SINCE 1851

WOODWARD'S
SINCE 1851

WOODWARD'S
SINCE 1851

WOODWARD'S
SINCE 1851

WOODWARD'S GRIPE WATER

Oral Solution

Gripe is caused by muscle spasms and excess acid created when air bubbles form in a baby's tummy. When the air bubbles get trapped in a baby's stomach, the stomach thinks it is full of food, so acids are produced which would normally break down the food particles. These acids are not needed and can cause irritation. At the same time, because the stomach is full of air bubbles its muscles are unable to relax causing cramps and spasms.

Woodward's Gripe Water contains oil of dill herb and sodium hydrogen carbonate and brings relief of wind and gripe.

Dill oil warms and relaxes the tummy, breaking down trapped air bubbles. Sodium hydrogen carbonate neutralises acid in the baby's tummy. The results are usually a resounding burp.

PL 00063/0698
MA Holder: Reckitt Benckiser Healthcare (UK) Ltd
103-105 Bath Road, Slough SL1 3UH, UK
Reckitt Benckiser Auckland, NEW ZEALAND Toll Free
Contact Number: 0800 40 30 30
Woodward's and Gripe Water are trade marks of the RB Group.

HOW TO USE WOODWARD'S GRIPE WATER

Check that the cap-ring seal is not broken before first use. Shake the bottle well. Read the leaflet on the bottle carefully before use. For Oral Use

Dosage:
Babies up to 1 month old: Not to be used.
1-6 months old: One 5ml spoonful.
6-12 months old: Two 5ml spoonfuls.

The doses may be given during or after each feed, up to 6 times in 24 hours. Allow two hours before administering other medicinal products, where possible. If symptoms persist, medical advice should be sought. Do not use this product where impaired kidney function or hypersensitivity to the preservatives E215, E217 and E219 exists.


KEEP OUT OF THE SIGHT AND REACH OF CHILDREN

Discard the contents of this bottle 14 days after opening. Do not store above 25°C.

Oral Solution

Terpeneless dill seed oil 2.3mg/5mL
Sodium hydrogen carbonate 52.5mg/5mL

Relief of Wind and Gripe



Dual Action 150ml e

0000000

0000000

0 000000 000000 >

Pharmacode Reads This Way
← First Bar Last Bar

262,5mm

